



A Tyco International Company

## EN, PD-6662 and RoHS Compliance Declaration

Item Number	Item	Description	EN Grade/Class		PD-6662:2010 Compliant	RoHS
9-5712-9	RL-8	Relay PCB for MCX-8	N/A	N/A	N/A	Y
237-300485	Prox Tag Black	Proximity tag for use with Powermax Pro	2	2	y	Y
237-300486	Prox Tag White	Proximity tag for use with Powermax Pro	2	2	y	Y
26040300	Pmax+ Power Supply 9VAC	Suitable for Powermax and Powermax Plus	N/A	N/A	N/A	Y
9-100344	Powermax Pro Dual RS-232 Adaptor	Dual RS-232 adaptor board for GSM and PC connection to Powermax Pro/Pmax Complete	N/A	N/A	N/A	Y
9-100697	Powermax Pro/Complete/Express RS-232 Kit	Includes RS-232 adaptor for local UL/DL and software download details	2	2	N/A	Y
9-100752	Voice Box Interface for Powermax Pro	Interface module to connect remote Voice Box (speakerphone) to Powermax PRO.	2	2	N/A	Y
0-5924-0	PM+ RS-232 UL/DL Kit	RS-232 Kit and details of software download	N/A	N/A	N/A	N/A
9-101142	GSM-350	Internal GSM/GPRS Module for PowerMax	2	2	N/A	Y
99-301037	GSM External Antenna for GSM 200/300/350	External antenna for use on GSM 200/300/350 for Powermax Pro/Express/Complete and PowerMaster panels	N/A	N/A	N/A	Y
0-1781-0	BR1 Bracket	Bracket for Coral Plus	N/A	N/A	N/A	Y

09 July 2012

Page 1 of 12

Note : Information is correct at time of issue. Visonic reserve the right to change product specifications without notice.

Visonic Ltd (UK), 6 Madingley Court, Kingston, Milton Keynes. MK10 0BZ. Tel: 0845 0755800 Fax: 0845 0755801 Email : [Visonicsales.uk@visonic.com](mailto:Visonicsales.uk@visonic.com)

<b>Item Number</b>	<b>Item</b>	<b>Description</b>	<b>EN Grade/Class</b>		<b>PD-6662:2010 Compliant</b>	<b>RoHS</b>
0-100170	Voice Box for Pmax Pro/ Complete	Speech Box	2	2	N/A	Y
z-uk072-0	SIM Card (telenor)	MultiNetwork Data SIM Card	N/A	N/A	N/A	N/A
z-uk071-0	Modem (pluscom) USB for Remote Programmer	Modem (Pluscom) USB Modem for Pmax	N/A	N/A	N/A	N/A
0-1783-0	BR3 ceiling / wall bracket	Bracket for Coral Plus	Ex	Ex	N/A	Y
9-100775	Pmax Complete zone/output expander	Provides additional hardwired zone plus programmable / external siren output and speech box connections	N/A	N/A	N/A	Y
0-101418	Pmax Complete QF Kit Pet	Includes: x2 MCT-234, x1 MCT-320, x2 Next K985, x1 MCS-730	2	2	Y	Y
0-5466-8	Pmax Plus Kit Class 5 (868)	Includes 1 Keyfob, 1 x Door Contact, 1 x Pet PIR	2	2	N	Y
0-101450	Pmax Complete QF Kit (No mcs)	Includes: x2 MCT-234 x1 MCT-320 x2 Next K985	2	2	Y	Y
0-101465	Pmax Complete QF Kit Stand	Includes: x2 MCT-234 x1 MCT-320 x2 Next PIR x1 MCS-730	2	2	Y	Y
0-100976	Pmax Complete Solo	28 zone wireless control panel	2	2	Y	Y
0-5466-9	Pmax Plus Solo (868)	Powermax Plus Only	2	1	N	Y
0-100459	Pmax+ Quick Fit Kit 868	Includes 2 x Keyfob, 1 x Door Contact, 2 x Pet PIR & Wireless Siren	2	2	N	Y



Item Number	Item	Description	EN Grade/Class		PD-6662:2010 Compliant	RoHS
0-100535	Pmax+ Denmans QF Kits (868)	Includes 2 x Keyfob, 1 x Door Contact, 2 x Pet PIR & Wireless Siren	2	2	N	Y
0-100319	Powermax Pro Panel (includes battery)	Control Panel Only	2	2	Y	Y
0-100498	Pmax+ Quick Fit Kit 1	Includes 2 x Keyfob, 1 x Door Contact & 2 x Pet PIR	2	2	N	Y
0-101723	Pmax Express Mobile Connect QF Kit	Contains Powermax Express panel with GSM/GPRS module, SIM pack with £5 credit, 1 x MCT-237, 1 x MCT-320, 2 x K-985MCW and 2 x standard lens covers	2	2	Y	Y
0-100318	Powermax Pro Kit (includes battery)	Includes Next K985, MCT-302 and 2 x Prox tags	2	2	Y	Y
0-2461-A	MCM-140+ (868)	One Way Keypad for Powermax+/Pro/Complete	2	2	Y	Y
0-500155	Natural Gas Sensor with integral siren (PowerG)	Gas Sensor	N/A	N/A	N/A	
0-101425	MCS-730 (868)	MCS-730 is a fully wireless outdoor siren	2	3	Y	Y
0-100836	MCS-720 (868)	Internal Siren for Powermax Pro and Complete, with LED strobe.	2	2	Y	Y
0-100783	Tower Curtain Mirror	Pack of 3 optional long range curtain mirror for Tower 10	3	2	N	Y
0-1029-0	Next PIR	Residential PIR 12 x 12m	2	2	Y	Y
0-1826-0	Duo 240 E	Res/Comm Ceiling DT	2	2	Y	Y

<b>Item Number</b>	<b>Item</b>	<b>Description</b>	<b>EN Grade/Class</b>		<b>PD-6662:2010 Compliant</b>	<b>RoHS</b>
0-1502-8	SRN2000CPC Low current PIR	For OEM applications. Does not include RF transmitter	N/A	N/A	N	Y
0-1834-0	Next Duo	Res/Comm Dual Tech 12 x 12m	2	2	Y	Y
0-1274-0	Next K-985	85lb pet tolerant PIR 12 x 12m	2	2	Y	Y
0-1270-6	Discovery K-980	Residential PIR 12 x 12m	2	2	TBA	Y
0-1260-0	Discovery Quad	Residential PIR 12 x 12m	2	2	TBA	Y
0-1612-0	Next QES	Quad element PIR 12 x 12m	2	2	Y	Y
0-1250-0	Discovery	Residential PIR 15 x 15m	2	2	TBA	Y
0-1240-0	K-940	40lb pet tolerant PIR 12 x 12m	2	2	N	Y
0-1011-6	Coral Plus	Residential PIR 15 x 15m	1	2	N	Y
0-1161-0	Clip 1	Minature Detector 6 X 6m	2	2	TBA	Y
0-100454	Duet AM G3	Antimasking Dualtech, 20m x 20m	3	2	Y	Y
0-101379	Tower 20 AM	External 12v wired PIR	N/A	2	N/A	Y
0-101184	Tower 12-1 AM PIR	25M Dualtechnology high security sensor with mirror optic detection.	3	2	Y	Y
0-101183	Tower 10-1AM PIR	25M High security PIR with wide angle mirror optic detection.	3	2	Y	Y
0-1836-0	Discovery Duo	Res/Comm Dual Tech 12 x 12m	2	2	TBA	Y

<b>Item Number</b>	<b>Item</b>	<b>Description</b>	<b>EN Grade/Class</b>		<b>PD-6662:2010 Compliant</b>	<b>RoHS</b>
0-1110-0	Disc ceiling mount	Residential PIR 360 degree	1	2	N	Y
0-1164-0	Clip 4	Minature Detector 6 X 6m	2	2	TBA	Y
0-1844-0	Next Duo K985	Pet tolerant 85lb 12 x 12m	2	2	Y	Y
0-1901-0	Glasstech	Breakglass Detector	2	2	N	Y
0-1843-0	Discovery Duo K-980	Pet tolerant 80lb 12 x 12m	2	2	TBA	Y
99-300870	MCW-570 Hot Water Valve	Extra valve for use with the MCW-570 Flood Management Kit	N/A	N/A	N/A	Y
0-4044-A	MCX-600 (868)	Range repeater requires 12VDC	1	2	N/A	Y
99-300869	MCW-570 Cold Water Valve	Extra valve for use with the MCW-570 Flood Management Kit	N/A	N/A	N/A	Y
0-3174-8	MCR-304 (868)	Single channel receiver (Powercode)	1	2	N	Y
0-3192-8	MCR-308+ (868)	4 Channel Receiver, expandable to 28. Comes with volt free outputs	2	2	Y	Y
0-4050-0	MCX-8	8 Channel Expander Board for MCR-308 supplied with free RL-8	2	2	Y	Y
Z-UK070-0	MCR-308 Outdoor Protection Kit	MCR-308 + 2 x Tower 20 AM MCW	2	2	Y	Y
0-2381-1	MCT-234 (868)	Keyfob	2	2	Y	Y
0-2391-A	MCT-237 (868) Two way Keyfob	Two way LCD Keyfob for Powermax Pro	2	2	Y	Y



Item Number	Item	Description	EN Grade/Class		PD-6662:2010 Compliant	RoHS
0-101741	MKP-151 2 Way Keypad (868)	MKP-151 2 Way Key Pad	2	2	Y	Y
0-3638-A	DISCOVERY K9-80 MCW(868)	PowerCode Wireless Pet-tolerant PIR Detector for Professionals	2	2	TBA	Y
0-101092	MCT-220 (868)	Wireless fixed push button for use in panic, emergency or other applications. Come with Auxillary input for additional devices.	2	2	Y	Y
0-2246-A	MCT-101 (868)	Single channel transmitter handheld (Powercode)	2	2	N	Y
0-3661-A	MCT-442 CO sensor (868)	CO sensor	2	2	N/A	Y
0-3657-A	SPD-1000 (868)	Painting Detector (Powercode)	N/A	N/A	N/A	Y
0-3648-A	MCT-441 (868)	Natural Gas Sensor	N/A	N/A	N/A	Y
0-3594-A	CLIP T MCW (868)	Wireless curtain PIR (Powercode)	2	2	Y	Y
0-3645-a	MCT-550 (868)	Flood Detector	1	2	N/A	Y
0-3633-A	DISCOVERY QUAD MCW (868)	Wireless Quad PIR (Powercode)	2	2	Y	Y
0-2241-A	MCT-100 (868)	2 channel universal transmitter (Powercode)	1	2	N	Y
0-101373	MCT-427 (868)	SMOKE AND HEAT SENSOR	N/A	N/A	N/A	Y
0-101590	MCT-320 (868) Brown	Brown Door Contact with Spacers	2	2	Y	Y



Item Number	Item	Description	EN Grade/Class		PD-6662:2010 Compliant	RoHS
0-100173	MCT-302 T (868) Brown	Door Contact (Brown)	2	2	Y	Y
0-101369	MCT-426 (868)	MCT-426 SMOKE SENSOR	N/A	N/A	N/A	y
0-2276-0	MCT-241 (868)	Pendant TX	2	2	N	Y
0-2286-A	MCT-302 T (868) White	Door Contact with auxillary input	2	2	Y	Y
0-2415-A	MCT-124 (868)	Three Channel Dual Push Tx	2	2	Y	Y
0-2455-A	MCT-211 (868)	Wrist Watch TX	2	2	N	Y
0-3591-D	Next DD MCW (868)	Wireless PIR 12m (Powercode)	2	2	Y	Y
Z-UK019-1	MCT-303 MCW (868) White	Impact Sensor with integral reed switch and back tamper	2	2	Y	Ex
Z-UK019-3	MCT-303 MCW (868) Brown	Impact Sensor with back tamper	2	2	Y	Y
0-101607	MCX-610 (868)	Two Way Repeater	2	2	Y	Y
0-100788	MCW-570 (868) Water Management Kit	Includes Controller, transformer, Flood Sensor and Cold Water Valve.	N/A	N/A	N/A	Y
0-100321	MDT-122 (868)	Loneworker transmitter with fall sensor	2	2	N	Y
0-100423	MCT-560 Temperature Sensor	Temperature sensor with 4 settings for freezers, frost, cold and heat. Optional probe available.	N/A	N/A	N/A	Y
0-2256-A	MCT-104 (868)	Four channel transmitter handheld (Powercode)	2	2	N	Y

<b>Item Number</b>	<b>Item</b>	<b>Description</b>	<b>EN Grade/Class</b>		<b>PD-6662:2010 Compliant</b>	<b>RoHS</b>
0-3596-T	MCT-501 T (868) with back tamper	Wireless Breakglass	2	2	Y	Y
0-1721-0	Tower 20 AM MCW	External wireless PIR	N/A	N/A	N/A	Y
0-3592-b	Next K985 DDMCW (868)	Pet tolerant 85lb (Powercode)	2	2	Y	Y
0-101608	MCS-730 AC UK	Wireless Outdoor siren with optional mains connection.	2	2	Y	y
9-101686	GSM-350 PG2	GSM/GPRS module for PowerMaster	2	2	Y	Y
0-102117	RP-610 PG2 UK	PowerG Network Repeater	2	2	Y	Y
0-101781	PowerMaster 10 RealAlarm Kit	Contains - Panel, 2 x Camera PIR's, 1 x Keyfob + GSM Included	2	2	Y	Y
0-102180	PowerMaster 30 SOLO	Control Panel only	2	2	Y	Y
0-102182	PowerMaster 30 PRO FIT KIT2	Contains - PowerMaster 30 control panel, 2 x KF234 keyfobs, 1 x MC-302E door contact, 2 x Next K-985PG2 PIR, sensors plus interchangeable covers	2	2	Y	Y
0-102181	PowerMaster 30 PRO FIT KIT	Contains - PowerMaster 30 control panel, 2 x KF234 keyfobs, 1 x MC-302E door contact, 2 x Next K-985PG2 PIR, sensors plus interchangeable covers. , 1 x SR-730 external siren	2	2	Y	Y



<b>Item Number</b>	<b>Item</b>	<b>Description</b>	<b>EN Grade/Class</b>		<b>PD-6662:2010 Compliant</b>	<b>RoHS</b>
0-101782	PowerMaster10 ProFit Kit	Contains - PowerMaster 10 control panel, 2 x KF234 keyfobs, 1 x MC-302 door contact, 2 x Next K-985PG2 PIR sensors plus interchangeable covers, 1 x SR-730 external siren	2	2	Y	Y
0-102114	KP-160 PG2 Arming Station Silver/White	LCD touch screen Arming Station with Prox reader	2	2	Y	Y
0-102060	PowerMaster-10 Solo UK	28 zone LCD control panel with two way PowerG wireless technology. Accepts upto 8 users, 8 keypads, 8 keyfobs plus proximity tag via Prox keypads.	2	2	Y	Y
K-303465	Mini Prox Tag Pack	8 multicoloured mini Prox tags	2	2	Y	Y
0-102127	KP-140 PG2 UK	Remote two way keypad (without PROX)	2	2	Y	Y
0-102113	KP-141 PG2 UK	Remote two way keypad with PROX and including 2 Prox tags	2	2	Y	Y
0-102118	KF-234 PG2 UK	Four button KeyFob (PowerG)	2	2	Y	Y
0-102206	KP-160 PG2 Armin Station Black	LCD touch screen Arming Station with Prox reader (Power G)	2	2	Y	Y
0-102205	TOWER 30 AM PG2	Wireless mirror optic PIR with 15M x 15M detection range (PowerG)	2	2	Y	Y
0-102203	MC-302 E PG2 White	Door/Window Magnetic Contact with auxillary input (PowerG)	2	2	Y	Y



Item Number	Item	Description	EN Grade/Class		PD-6662:2010 Compliant	RoHS
0-102119	MC-302 PG2 UK	Door/Window Magnetic Contact (PowerG)	2	2	Y	Y
0-102204	MC-302 E Brown	Door/Window Magnetic Contact with auxillary input (PowerG)	2	2	Y	Y
0-102202	KF-235	Keyfob (PowerG)	2	2	Y	Y
0-102111	Clip PG2 UK	Curtain PIR with range setting for 3,6 & 9M (PowerG)	2	2	Y	Y
0-102122	NEXT CAM K9 PG2 (PET) UK	PET PIR with integrated camera, microphone and IR (PowerG). 5 Year battery	2	2	Y	Y
0-102012	TMD-560 PG2 Temperature	Temperature Sensor (PowerG)	N/A	N/A	N/A	Y
0-102112	GB-501 PG2	Glass break sensor (PowerG)	2	2	Y	Y
0-500168	SMD-427 PG2 (868) UK	Smoke and Heat Detector (PowerG). Interlinkable via PowerMaster panels	2	2	Y	Y
0-102116	Next K-985 PG2 UK	12M Pet Tolerant PIR up to 85lbs (PowerG)	2	2	Y	Y
0-500167	SMD-426 PG2 UK	Optical Smoke Detector (PowerG). Interlinkable via PowerMaster panels	2	2	Y	Y
0-102121	NEXT+ PG2 UK	Wireless 15M PIR (PowerG)	2	2	Y	Y
0-102123	NEXT CAM PG2 UK	PIR with integrated camera, microphone and IR (PowerG). 5 Year battery	2	2	Y	Y

<b>Item Number</b>	<b>Item</b>	<b>Description</b>	<b>EN Grade/Class</b>		<b>PD-6662:2010 Compliant</b>	<b>RoHS</b>
0-500152	GSD-442 PG2 CO	Carbon Monoxide Sensor with integral siren (PowerG)	N/A	N/A	N/A	Y
0-102125	SR-730 PG2 UK	External Siren for PowerMaster panels. Provides alarms and programable entry/exit beeps (PowerG)	2	3	Y	Y
0-102124	SR-720 PG2 UK	Indoor Siren for PowerMaster panels. Provides alarms and programable entry/exit beeps (PowerG)	2	2	Y	Y
0-101384	CAM 3100	IR IP Camera for Powerlink (Wireless)	N/A	N/A	N/A	Y
9-101070	Powerlink 2 Generic	Powerlink 2	N/A	N/A	N/A	y
0-101386	CAM 3200	IR Pan & Tilt IP Camera for Powerlink (Wireless)	2	2	N/A	Y
P-202416	MCT-220 Rubber Bracket	Rubber mounting bracket	N/A	N/A	N/A	N/A
99-300890	MCT-560 Probe	Temperature probe for use with MCT-560	N/A	N/A	N/A	N/A
Z-UK075-0	CAM 4000	CAM 4000 External WiFi camera	N/A	N/A	N/A	y
0-5707-0	LATCH	12VDC Latch module	N/A	N/A	N/A	Y
Z-UK069-0	Detectagas CO Test Can	Carbon Monoxide Test Kit	n/a	n/a	N/A	n/a
0-101872	MKP-160 S (868) EXT DC	Keypad	2	2	Y	Y
0-101589	MCT-320 (868) White	Door Contact with Spacer	2	2	Y	Y



Item Number	Item	Description	EN Grade/Class		PD-6662:2010 Compliant	RoHS
0Z-101153	MCS-730 Cover (RED Lens)	MCS Cover only, requires base plate	N/A	N/A	N/A	EX
0Z-101152	MCS-730 Decoy Backplate	Backplate only, requires MCS-730 cover	N/A	N/A	N/A	N/A
0Z-101151	MCS-730 Cover (Blue lens)	Cover only with Blue lens.Requires base plate	N/A	N/A	N/A	Ex